

Message

---

**From:** Andrew Baris [abaris@rouxinc.com]  
**Sent:** 6/24/2016 2:14:01 PM  
**To:** Cirian, Mike [Cirian.Mike@epa.gov]; Hoogerheide, Roger [Hoogerheide.Roger@epa.gov]  
**CC:** John.Stroiazso@glencore-ca.com; Steve Wright - CFAC [swright@cfaluminum.com]; Michael Ritorto [mritorto@rouxinc.com]; Repine, Damon [RepineDL@cdmsmith.com]; Welch, August [WelchA@cdmsmith.com]; Amy Hoffmann [ahoffmann@rouxinc.com]; Laura Jensen [ljensen@rouxinc.com]  
**Subject:** Field Modification No. 3  
**Attachments:** removed.txt; SAP-Record of Modification No 3.docx

Mike:

Attached is another field modification form documenting why a 5-ft screen length will be used for deep monitoring well MW-16a, rather than the typical 10-ft length as specified in the SAP. Also, please note that I had Amy Hoffmann call August this morning to discuss and confirm that he agreed with our approach.

If you concur, please return a copy with your e-signature. Please let us know if you have any questions.

Regards,

Drew

**Andrew Baris**  
**Vice President / Principal Hydrogeologist**  
**Roux Associates, Inc.**

209 Shafter Street | Islandia, NY 11749  
Direct: (631) 630-2404 | Mobile: (631) 921-1805 | Main: (631) 232-2600

Visit us at [www.rouxinc.com](http://www.rouxinc.com)

Follow us on:    Check out our blog: 

**THINK BEFORE YOU PRINT:** Please consider the environment before printing this email.

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.